

I-10A, DLF Industrial Area, Phase-1, Faridabad 121003, Haryana, India

P: +91 9313140140 E: info@testronixinstruments.com W: www.testronixinstruments.com

Peel Strength / Seal Strength Tester Digital



Peel Strength / Seal Strength Tester Digital /Adhesion Strength Tester is an innovative instrument which helps in measuring the adhesion Strength or peel ability of self-adhesive pressure sensitive materials. Peel adhesion is defined as the force required to the Testronix Peel Strength Tester is one of the most popular testing instruments that is used in the packaging and adhesive industries to test the strength of the adhesives.

The instrument consists of two jaws that are used for holding the sample. The specimen is placed between two movable clamps. This applies a force on the sample and peels it off from the surface. The force that is required to peel off the sample from the surface is recorded by the highly accurate load cell given with the equipment. The force applied is displayed on the digital display provided in the machine.

Specification:

- · Load Cell Capacity: 20 Kgf
- Display: LED (Digital)
- Accuracy: ± 2% within entire range.
- Least Count/Resolution: 0.020Kgf
- Power: 220V, Single phase, 50 Hz
- Speed: 300 mm/min ± 5%

Standards:

ASTM D429 - 14, ASTM D903

Features:

- Microprocessor based display for accurate test results
- Display for Peel Adhesive strength of test specimen
- One test reading can be saved in memory
- Strong gripping clamps to perform Peel test at 90 degree and 180 degree.
- Dimensions: 600x500x1120 mm
- Material: Powder coated mild steel

