



Co-Efficient of Friction Tester Digital

The Coefficient of Friction Tester is an accurate instrument which helps in measuring sliding andstatic friction of plastic films and sheets when they slide.

The Testronix Friction Tester is manufactured to calculate the co-efficient of friction of laminates and other similar material.

Static as well as kinetic co-efficient of friction can be calculated on this equipment.

This instrument offers the best accuracy while measuring the co- efficient of friction and also comprises of automatic testing mechanism which simulates the actual friction conditions. This further helps in giving precise and accurate test reports

MODEL NO. TX-COF 100



SS Block Slider



Easy to clamp of sample





Microprocessor Based Digital Display with Feather Touch Control



Load Cell

- +91-9313140140
- info@testronixinstruments.com
- www.testronixinstruments.com







FEATURES

- Availability of cutting templates to reduce sample preparation time
- Microprocessor based display for accurate test results
- Display for Dynamic and Kinetic Friction
- It can hold only one Memory of test reading
- Highly accurate test results
- Steel with Glass Mounting as Sample Mounting Surface
- Slider Block for performing tests Sample to Sample, Glass or metal
- Noslippage of specimen
- Bright LED display

Standards: ASTM D 618, ASTM D 883, BS 2782, and ASTM D 1894

SPECIFICATION



Load Cell Capacity	3 Kgf
Display	LED (Digital)
Accuracy	± 2% within entire range
Least Count/Resolution	3 gm
Power	220V, Single phase, 50 Hz
Speed	150 ± 30 mm/min
Motor	15 kg/cm torque, 60rpm

Thank you customers for choosing us as your partners in growth !



*All the above logos are the sole property of their respective owners and are used purely for depiction purposes only.

OUR OTHER PRODUCTS :-



- (e) +91-9313140140
- info@testronixinstruments.com
- www.testronixinstruments.com

